

Availability Guide

Your schedule.
Made possible.

Egger Decorative Collection 2017–2019



Version January 2017

Your world is in constant flux.

So are trends, demands and behaviours.

In order to be successful and meet higher expectations in your business environment you need to react quickly and with confidence.

At EGGER, we understand this, and have created a trend orientated and broad product matched collection around convenience, speed and services you can rely on – helping you to visualize your designs quicker than ever before and confidently complete client's projects on time and budget. Without any compromise in quality.

Your work is our business – you'll always have a partner in EGGER.



Explore the new EGGER Decorative Collection 2017–2019 and its related services. Benefit from advice and solutions from a single source, so you can stay focused on your customers' needs and what you do best. In this availability guide you find all details on the availability of each decor by product line as well as a detailed product information on all products.

Content


- 4 Environment & Sustainability
- 5 EGGER Decor & Colour Match
- 6-23 Availability Guide
 - 24 Service
 - Colour guide Uni Colours: NCS/RAL/Pantone
 - 26 Core Boards

 - 28 PerfectSense Lacquered Boards
 - 29 👪 Eurolight Lightweight Boards
- 30−31 ≥ Laminates
- 32-33

 Compact Laminates
- 34 35 **D** Edging
 - 36 **■** Worktops
 - 37 Flammex Flame Retardant Products
- 38 43 9-Grid System

Environment and Sustainability

Conserving resources is a top priority for EGGER. In fact it forms part of our core values. We achieve this by promoting sustainable forestry and through integrated plants, energy generation in our own biomass power plants, state-of-the-art manufacturing technology and environmentally friendly logistics systems. Through the material and thermal use of wood in a closed cycle, we reduce CO₂ emissions that are harmful to the environment.



Sustainable forestry

Full Product Transparency

It is difficult enough to judge whether a product is sustainable or not; you should not waste your time collecting documents. We provide full transparency through Environmental Product Declarations (EPDs) – for each of our core products. Save time and hassle when tendering or collecting documents for green public procurement and green building schemes. Verified, transparent environmental information on the product is readily available in our EPDs!







To continually improve our environmental performance in the production process, we select internationally certified energy and environmental management systems in accordance with ISO 50001, ISO 14001 and EMAS.

Comprehensive solutions in matching products.

Technical, aesthetic, economic and environmental constraints can make a project challenging. With the same decor being available on multiple products within the EGGER Decorative Collection 2017–2019, you can specify the most appropriate material for your application. With no compromise on the colour scheme or performance, which means you can stay focused on your customers' needs and on what you do best.

A perfect fit on all lines

EGGER offers a harmonised product system. Matching decors across a wide variety of products and core materials creates a coordinated approach with design versatility. Since each element matches the other, a harmonised appearance can be created. The availability of coordinated products provides both flexibility and reliability from a design, as well as procurement point of view, ensuring your projects run smoother.

EGGER Decor and colour match

The EGGER Decorative Collection is a creative solution that helps you manage the budgetary, technical and environmental constraints you face. And with a wide distribution network quick availability can be assured too.

Your benefits at a glance

- A comprehensive decor range covering needs from classic to in-vogue, industrial styles
- Extensive choice of decors and textures in multiple materials
- By combining products with the same decor there is no compromise on appearance and performance
- Potential to save costs, owing to the above
- Assurance that you're using environmentally friendly products





White decors and Painting Grade

			0	Eui	⊘ rodel	cor	♦			⊗ ¶ mina			♦		
quickly av	vailable				e 27)						mm	mm	ш		
available	with producti	on time		MFC P2	2800×2070 mm ML/MW (page 27)	MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	2790×2060×0.8 mm		Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	4M mm
Q = end-grain	ı edging			mm	mm /	шш	280	. × 00	× 09	roll	е 28	0 × 0	inate	× 00	300
				070	070	070	ense	1 28	× 20	rom	Cor	e 215	Lam	t 28(50/1
all dimensions	ertical use s in mm			2800 × 2070 mm MFC P2	2800×2	2800 × 2070 mm MDF	PerfectS	Standard	XL 2790	0.6 mm from roll	Coloured	Door size	Compact	Euroligh	Thin chipboard LAM 2250 × 950 / 1300 mm
		Painting grade													
GFE		Painting Grade		0	0	•								0	
1110	MA	Painting Grade													
		White decors													
W908	3 SM	Basic White		•	0	0		•						0	
W908	ST2	Basic White		•	0	0		•					0	0	
W911	SM	Cream White		0	0	0		•						0	
W911	ST2	Cream White		0	0	0		•					0	0	
W911	ST15	Cream White		0	0	0		•				0	0	0	0
W980) SM	Platinum White		•	0	•		•						0	
W980	ST2	Platinum White		•	0	0		•		•			0	0	
W980	ST15	Platinum White		0	0	0		•				0	0	0	0
W100	0 HG	Premium White						•							
W100	O PG/ST2	Premium White					•								
W100	O PM/ST2	Premium White					•	•							
W100	o ST9	Premium White		•	0	0		•				0	•	0	0
W100	o ST16	Premium White		0	0	0		•						0	
W100	o ST22	Premium White		•	0	0		•				0	0	0	0
W100	o ST38	Premium White		•	0	0			•					0	
W100	o ST76	Premium White						•		•					
W100	o ST86	Premium White						0				0			0
W100	o ST89	Premium White						•		•					
W100	1 HG	Solid Premium White									•				
W100	1 ST9	Solid Premium White			•						•		•		
W110	0 HG	Alpine White						•							
W110	O PG/ST2	Alpine White					•								
W110	0 PM/ST2	Alpine White					•	•							
W110	o ST9	Alpine White		•	0	0		•				0	0	0	0
W110	o ST30	Alpine White		•		0								0	
W110	1 ST9	Solid Alpine White									•				
W120	o ST9	Porcelain White		0	0	0		•					0	0	
W130	o ST9	Glacier White		0	0	0		•					0	0	

W1001 Solid Premium White

Decor match across white based core materials

Under the decor reference W1001 we also include our W1000 Premium White where it is applied to a white core. This compilation results in a very high-quality and homogeneous overall impression. Where W1000 and W1001 are used immediately alongside each other a small colour variation may be recognised, otherwise the difference might not be noticeable. Therefore, products in W1001 can only be partly combined with products in W1000.

For W1001 we offer the usual product colour match.

Products available in W1001 Solid Premium White

- Coloured Core Laminate (→ page 31)

 Laminate with a multilayer structure made up of melamine impregnated white decor papers, through which the coloured core effect is achieved
- 2 Compact Laminate (→ page 32) with a white core based on cured resins
- **3** Eurodekor Plus MW (→ page 27)
 Multilayer construction MW06 with white barrier paper

		(Acc	A cent l	BS E Edgir	o dgin ng →	g page	24)			9	Work	tops	
23 × 0.4 mm (100 m) pre-glued	23 × 0.4 mm (200 m)	23 × 0.8 mm (75 m)	23×1mm (75 m)	23 × 2 mm (75 m)	28 × 2 mm (75 m)	43 × 0.8 mm (25 m)	43×1.5 mm (25 m)	43 × 2 mm (25 m)	54 × 2 mm (25 m)	PMMA Edging 23×1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	Splashback Panel 4100 × 1310 × 8 mm
		•		•	•			•					
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
	•	•		_	•			•	•				
•	•	•		•	•			•	•				
•	•	•	•	•	•			•	•	•			
•	•	•	•	•	•			•	•	•			
•	•	•	•	•	•		•	•	•	•	•		•
•	•	•	•	•	•		•	•	•	•	•	•	•
•	•	•	•	•	•		•	•	•	•	•	•	•
•	•	•	•	• • • • • • • • • • • • • • • • • • •	•		•	•	•	•	•	•	•
•	•	•	•	•	•		•	•	•	•	•	•	•



Eurodekor Melamine Faced Chipboards (--> page 27)

quickly availbale: 18 mm - P2 core
 Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm

Further core materials available upon request: P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

quickly availbale: 18 mm MDF ST W980 SM and GFE;
 16, 18 and 19 mm MDF MB W980 SM one-sided
 Further thicknesses MDF ST upon request: 8, 10, 16, 18,
 19 and 25 mm
 Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (---> page 27)

quickly availbale: 18 mm W1001 (MW) and U708 (ML)
 Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

Solution PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61 m Door Programme: 90 decors Door Size Laminates + Thin chipboard LAM 3 mm (→ page 31)

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Solution Compact Laminates (→ page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core

Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm

Further core materials available upon request:

Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) /

both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

Painting Grade

Painting Grade is a specially impregnated paper that is suitable for lacquering. We offer it bonded on the following raw boards: Eurospan E1 P2 CE, MDF E1 CE and Eurolight E1 P2 CE. The matching lacquerable edging is also available (1110 MA).

Uni Colours

			- 1	Eur	 odek	cor	◆			⊗ ∏ mina			\$		
quickly	available				1ge 27)			_			8 mm	.8 mm	mm		
availabl	e with producti	on time		2800 × 2070 mm MFC P2	×2070 mm ML/MW (page 27)	2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	XL 2790 × 2060 × 0.8 mm	=	Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	LAM
= end-gra	in edging			70 mr	70 m n	70 mr	ıse 2	2800	2060	m ro	ore 2	2150	amina	800	oard
only for	vertical use		,	× 207	× 207	× 207	tSer	ard 2	× 00	m fro	red (ize)	act La	ght 2	hipb
l dimensio	ns in mm			2800;	2800,	2800;	Perfec	Stand	XL 279	0.6 mm from roll	Coloui	Door s	Compa	Euroli	Thin chipboard LAM
		Uni Colours													
U10	4 HG	Alabaster White						•							
U10	4 PG/ST2	Alabaster White					•								
U10	4 ST9	Alabaster White		•	0	0		•				0	0	0	0
U10	7 ST9	Velvet Yellow		0	0	0		•					0	0	
U10	8 ST9	Vanilla Yellow		•	0	0		•					0	0	
U113	ST9	Cotton Beige		•	0	0		•				0	0	0	0
U114	4 ST9	Brilliant Yellow		•	0	0		•				0	0	0	0
U131	1 ST9	Citrus Yellow		•	0	0		•				0	0	0	0
U140	o ST9	Saffron Yellow		0	0	0		•					0	0	
U14	6 ST9	Maize Yellow		0	0	0		•					0	0	
U15	6 ST9	Sand Beige		•	0	0		•				0	0	0	0
U163	3 ST9	Curry Yellow		0	0	0		•					0	0	
U20	o ST9	Beige		•	0	0		•				0	0	0	0
U20	1 ST9	Pebble Grey		•	0	0		•				0	0	0	0
U20	4 ST9	Camel Brown		0	0	0		•					0	0	
U21	6 ST9	Came Beige		•	0	0		•				0	0	0	0
U22	2 PM / ST2	Crema Beige					•	•							
U22	2 ST9	Crema Beige		•	0	0		•				0	0	0	0
U22	4 ST9	Silk White		0	0	0		•					0	0	
U310	0 ST9	Coral Orange		0	0	0		•					0	0	
U31	1 ST9	Burgundy Red		•	0	0		•				0	0	0	0
U31	3 ST9	Rose White	(0	0	0		•					0	0	
U32	1 ST9	China Red		•	0	0		•				0	0	0	0
U32	3 HG	Chilli Red						•							
U32	3 PG / ST2	Chilli Red					•								
U32	3 ST9	Chilli Red	•	•	0	0		•				0	0	0	0
U32	8 ST9	Lipstick Red	(0	0	0		•				0	0	0	0
U33	0 ST9	Aubergine Purple	(0	0	0		•					0	0	
U33	2 ST9	Orange		•	0	0		•				0	0	0	0
U33		Nude Brown		0	0	0		•					0	0	
U33		Fuchsia Pink		•	0	0		•					0	0	
U34		Sorbet Orange		0	0	0		•				0	0	0	0
U35		Siena Orange		0	0	0		•					0	0	
U35		Dusty Pink		0	0	0		•					0	0	
U36		Flamingo Pink		•	0	0		•				0	0	0	0
U38		Blood Orange		0	0	0		•					0	0	
U39		Indian Red		0	0	0		•					0	0	
U40		Powder Violet		0	0	0		•					0	0	
U40	4 ST9	Crocus Pink		0	0	0		•					0	0	

23 × 0.4 mm (100 m) pre-glued	
23 × 0.4 mm (200 m)	
23 × 0.8 mm (75 m)	(Acc
23×1mm (75m)	
23 × 2 mm (75 m)	ABS E
28 × 2 mm (75 m)	o dgin ng →
43 × 0.8 mm (25 m)	
43×1.5 mm (25 m)	24)
43×2mm (25m)	
54 × 2 mm (25 m)	
PMMA Edging 23×1.3 mm (75 m)	9
Postforming 300/3 4100 × 600/920 × 38 mm	Work
Straight edge 100/1.5 4100 × 600/920 × 38 mm	tops
Splashback Panel 4100 × 1310 × 8 mm	
Splashback Panel 4100×1310×8 mm	

2	7	7	7	7	7	4	4	4	5	Д	Α 4	S 4	S
				_									
				•									
			•							•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
_		•			•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
		•			•				•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
			•	•						•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
					_								
•	•	•		•	•			•	•				
				•									
			•							•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•								•					
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
	•			•				•	•				
	_	_			_								
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
		•											
•	•	•		•	•			•	•				
•	•			•	•			•	•				
_		•						•					

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm Further core materials available upon request:

P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61m **Door Programme:** 90 decors Door Size Laminates + Thin

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Compact Laminates (---> page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core

Further thicknesses available upon request:

3, 5, 6, 10 and 12 mm

Further core materials available upon request:

Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) /

both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels

as well as end profiles and accessories available

Uni Colours

			E	⇒ urod		◆ *			● Fination			\$		
quickly av	railable	ion time		page 27)		ш	шш			0.8 mm	0.8 mm	60 mm		
avanaste	men produce.		2800 × 2070 mm MFC P2	2800 × 2070 mm ML/MW (> page	2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	XL 2790 × 2060 × 0.8 mm	=	Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	Thin chipboard LAM
= end-grain	edging		70 mn	70 mn	70 mn	nse 28	2800	2060	0.6 mm from roll	Core 2	2150 ;	amina	2800	ooard
only for v	ertical use		× 20	× 20	× 20	ctSe	dard	× 06.	ım fr	ured	size	actL	ight	chipl
l dimensions	in mm		2800	2800	2800	Perfe	Stan	XL 27	0.6 m	Color	Door	Comp	Eurol	Thin
U414	ST9	Dark Violet	0	0	0		•					0	0	
U420	ST9	Purple	0	0	0		•					0	0	
U430	ST9	Violet	0	0	0		•					0	0	
U500	ST9	Glacier Blue	0	0	0		•					0	0	
U504	ST9	Tyrolean Blue	•	0	0		•				0	0	0	
U507	ST9	Smoke Blue	0	0	0		•					0	0	
U515	ST9	French Blue	0	0	0		•					0	0	
U522	ST9	Horizon Blue	•	0	0		•				0	0	0	
U525	ST9	Delft Blue	•	0	0		•				0	0	0	
U533	ST9	Polar Blue	0	0	0		•					0	0	
U540	ST9	Denim Blue	0	0	0		•					0	0	
U550	ST9	Marine Blue	0	0	0		•					0	0	
U560	ST9	Deep Sea Blue	•	0	0		•				0	0	0	
U570	ST9	Midnight Blue	0	0	0		•					0	0	
U599	ST9	Indigo Blue	0	0	0		•					0	0	
U606	ST9	Forest Green	•	0	0		•				0	0	0	
U608		Pistachio Green	0	0	0		•					0	0	
U617	ST9	Wasabi Green	0	0	0		•					0	0	
U619	ST9	Olive Yellow	0	0	0		•					0	0	
U626		Kiwi Green	•	0	0		•				0	0	0	
U630		Lime Green	•	0	0		•				0	0	0	
U636	ST9	Fjord Green	0	0	0		•					0	0	
U646		Niagara Green	0	0	0		•					0	0	
U650	ST9	Fern Green	0	0	0		•					0	0	
U655	ST9	Emerald Green	•	0	0		•				0	0	0	
U660		Amazon Green	0	0	0		•					0	0	
U702		Cashmere Grey				•	•							
U702	ST9	Cashmere Grey	•		0		•				0	0	0	
U702		Cashmere Grey	•	0	0		•		_				0	
U702	ST89	Cashmere Grey					•		•	_				
U702		Solid Cashmere Grey								•				
U707		Silk Grey	•	0	0		•				0	0	0	
U708 U708		,				•					^	_		
		Light Grey	•	•	0		•		•		0	0	0	
U708		Solid Light Grey								•			_	
U717	ST9	Dakar Grey	0	0	0		•					0	0	
U727		Stone Grey		_		•	•				_	0	_	
U727	ST9	Stone Grey	•	0	0		•				0	0	0	
U732 U732	HG PG / ST2	Dust Grey Dust Grey				0	•							L

		(Acc	ent l	ABS E	o dgin	g page	24)			9	Work	tops	
• • 23 × 0.4 mm (100 m) pre-glued	• • 23 × 0.4 mm (200 m)	23 × 0.8 mm (75 m)	23×1mm (75 m)	23 × 2 mm (75 m)	28 × 2 mm (75 m)	43 × 0.8 mm (25 m)	43×1.5 mm (25 m)	43 × 2 mm (25 m)	54 × 2 mm (25 m)	PMMA Edging 23 × 1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	Splashback Panel 4100 × 1310 × 8 mm
•	•	•		•	•			• • • • • • • • • • • • • • • • • • •	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•	•	•	•		•	•	•	•		•	•
•	•	•	•	• • • • ST30	•			•	•	•			

• quickly availbale: 18 mm - P2 core

Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm Further core materials available upon request:

P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61m

Door Programme: 90 decors Door Size Laminates + Thin

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Solution Compact Laminates (→ page 32)

• quickly availbale: 8 and 13 mm with black core,

W1001 ST9 with white core

Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm

Further core materials available upon request:

Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) /

both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels

as well as end profiles and accessories available

				Eur	⊘ rodel	kor	♣			⊗ Fina			\$		
	quickly avail	ablo			27)						E	ш			
					age		_	L L			.8⊤	.8	nm c		
O a	available wit	h producti	on time		d 🐑		m (8 m r			0 × 0	× C	206	_	
				P2	۱۷۷ (070	× 0.	E		1310	1020	× 0	mm	
				٨FC	1L/N	1DF	0 ×	310	.8 ח		× 00	20/	3 279	070	N H
				Ш	М	E	280) × 1	×	===	280	×	ates) × 2	d LA
$Q = \epsilon$	end-grain ed	lging		70 m	,0 m	70 m	ise 2	800	506	E	o re	2150	min	800	oard /13
	only for verti	cal use		207	207	207	Ser	ard 2	×	n fro	ed (ize	ct La	rht 2	ddir 950
All di	mensions in	mm		2800 × 2070 mm MFC P2	2800 × 2070 mm ML/MW (> page	2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	XL 2790 × 2060 × 0.8 mm	0.6 mm from roll	Coloured Core 2800 ×1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	Thin chipboard LAM 2250 × 950 / 1300 mm
	U732	PM / ST2	Dust Grey	7	7	7	<u> </u>	S	×	0	U		U	Ш	L 2
	U732	ST9	Dust Grey	•	0	0						0	0	0	0
	U732	ST30	Dust Grey	•		0								0	
	U741	ST9	Lava Grey	•	0	0		•				0	0	0	0
	U748	ST9	Truffle Brown	•	0	0		•				0	0	0	0
	U750	ST9	Taupe Grey	•	0	0		•				0	0	0	0
	U763	HG	Pearl Grey					•							
	U763	PG / ST2	Pearl Grey				•								
	U763	ST9	Pearl Grey	•	0	0		•				0	0	0	0
	U763	ST76	Pearl Grey					•		•					
	U767	ST9	Cubanit Grey	•	0	0		•				0	0	0	0
	U773	ST9	Dusk Grey	0	0	0		•					0	0	
	U775	ST9	White Grey	•	0	0		•				0	0	0	0
	U788	ST9	Arctic Grey	•	0	0		•				0	0	0	0
	U788	ST16	Arctic Grey	•	0	0		•						0	
	U7881	ST9	Solid Arctic Grey								•				
	U795	ST9	Brown Grey	0	0	0		•					0	0	
	U807 U818	ST9 ST9	Nougat Brown Dark Brown	0	0	0		•					0	0	
	U899	ST9	Cosmos Grey	•	0	0		•				0	0	0	0
	U960	ST9	Onyx Grey	•	0	0						0	0	0	0
	U960	ST76	Onyx Grey							•					
	U9601	ST9	Solid Onyx Grey								•				
_	U961	HG	Graphite Grey					•							
	U961	PG / ST2	Graphite Grey				0								
	U961	PM / ST2	Graphite Grey				0	•							
	U961	ST2	Graphite Grey	•	0	0		•				0	0	0	0
	U963	ST9	Diamond Grey	•	0	0		•				0	0	0	0
	U9631	ST9	Solid Diamond Grey								•				
	U989	ST9	Black Brown	0	0	0		•					0	0	
	U999	HG	Black					•							
	U999	PG / ST2	Black				•								
	U999	PM / ST2	Black				•	•							
	U999	ST2	Black	•	0	0		•				0	0	0	0
	U999	ST12	Black	0	0	0		•					0	0	
	U999	ST30	Black	•		0								0	
	U999	ST38	Black	•	0	0			•					0	
	U999 U9991	ST89 ST15	Black Solid Black					•		•	•				

			Д	ABS E	⊉ Edgin	g				9	Work	tops	
		(Acc	cent l	Edgir	ng →	page	24)						
23 × 0.4 mm (100 m) pre-glued	23 × 0.4 mm (200 m)	23 × 0.8 mm (75 m)	23 × 1 mm (75 m)	• • • • • 23 × 2 mm (75 m)	28 × 2 mm (75 m)	43 × 0.8 mm (25 m)	43×1.5 mm (25 m)	43 × 2 mm (25 m)	54 × 2 mm (25 m)	PMMA Edging 23 × 1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	Splashback Panel 4100×1310×8 mm
			•	•						•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
			•							•			
•	•	•		•	•			•	•				
				•			•				•		•
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
							•				•		•
			•	•						•			
			•	•						•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
				ST30									
			•							•			
•	•	•	•	•	•			•	•	•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•		•	•	•				
				•			_					•	_

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm

Further core materials available upon request: P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61m **Door Programme:** 90 decors Door Size Laminates + Thin

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Compact Laminates (---> page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core

Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm

Further core materials available upon request: Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

Solution Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) / both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

Woodgrains

	Eu	⇒ rode	kor	♦			⊗ ∏ mina			\$		
 quickly available available with production time Q = end-grain edging only for vertical use All dimensions in mm 	2800 × 2070 mm MFC P2	2800 × 2070 mm ML/MW (page 27)	2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	XL2790×2060×0.8mm	0.6 mm from roll	Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	Thin chipboard LAM 2250 × 950 / 1300 mm
Woodgrains												

All alme	ensions in	mm		280	280	280	Per	Sta	XL2	9.0	Cole	Doc	Con	Eur	Thir 225
			Woodgrains												
	H110	ST9	Sealand Pine					•		•					
111	H111	ST12	Core Maple					•		•					
	H148	ST10	Beige Frontera Pine							•					
	H151	ST9	Bronze Wood					•							
1000	H430	ST86	White Aland Pine Horizontal					0				0			0
	H433	ST86	Polar Aland Pine Horizontal					0				0			0
	H815	ST9	Verona Cherry Horizontal					0				0			0
	H834	ST9	Light Natural Sorano Oak Horizontal					0				0			0
	H853	ST86	Lava Grey Fleetwood Horizontal					0				0			0
	H877	ST86	Light Lakeland Acacia Horizontal					0				0			0
	H1101	ST12	Mocha Macassar	•	0	0		•					0	0	
All Ha	H1107	ST9	Anthracite Metallic Wood	0	0	0		•				0	0	0	0
	H1113	ST10	Brown Kansas Oak	•	0	0		•					0	0	
1	H1114	ST9	Ribera Walnut	•	0	0		•					0	0	
	H1115	ST12	Grey-Beige Bamenda	•	0	0		•					0	0	
8	H1116	ST12	Dark Bamenda Wenge	•	0	0		•					0	0	
	H1122	ST22	Whitewood	•	0	0		•					0	0	
	H1123	ST22	Graphitewood	•	0	0		•					0	0	
	H1133	ST9	Natural Hamilton Oak Horizontal					0				0			0
	H1137	ST12	Black-Brown Sorano Oak	•	0	0		•						0	
以是个概则	H1145	ST10	Natural Bardolino Oak	•	0	0		•		•		0	0	0	0
I VI ED	H1146	ST10	Grey Bardolino Oak	•	0	0		•					0	0	
	H1150	ST10	Grey Arizona Oak	0	0	0		•					0	0	
	H1151	ST10	Brown Arizona Oak	•	0	0		•						0	
	H1163	ST86	Natural Bardolino Oak Horizontal					0				0			0
	H1176	ST37	White Halifax Oak	•	0	0			•				•	0	
	Q1176	RO	White Halifax Oak												
	H1180	ST37	Natural Halifax Oak	•	0	0			•				•	0	
	Q1180	RO	Natural Halifax Oak												
Will be	H1181	ST37	Tobacco Halifax Oak	•	0	0			•				•	0	
	Q1181	RO	Tobacco Halifax Oak												
	H1199	ST12	Black-Brown Thermo Oak	•	0	0		•		•		0		0	0
	H1210	ST33	Grey-Beige Tossini Elm	•	0	0			•					0	
121130	H1212	ST33	Brown Tossini Elm	•	0	0			•					0	
	H1213	ST33	Natural Tossini Elm	•	0	0			•					0	
	H1250	ST36	Navarra Ash	•	0	0		•						0	
4	Q1250	RO	Navarra Ash												
	H1277	ST9	Light Lakeland Acacia	•	0	0		•				0	0	0	0
	H1298	ST22	Sand Lyon Ash	0	0	0		•					0	0	

23 × 0.4 mm (100 m) pre-glued	
23 × 0.4 mm (200 m)	
23 × 0.8 mm (75 m)	(Ac
23×1mm (75 m)	
23 × 2 mm (75 m)	ABS E
28 × 2 mm (75 m)	o Edgin ng →
43 × 0.8 mm (25 m)	
43×1.5 mm (25 m)	24)
43×2mm (25m)	
54 × 2 mm (25 m)	
PMMA Edging 23 × 1.3 mm (75 m)	9
Postforming 300/3 4100 × 600/920 × 38 mm	Work
Straight edge 100/1.5 4100 × 600/920 × 38 mm	tops
Splashback Panel 4100 × 1310 × 8 mm	

	•	•	•	•
	•	•	•	•
		•	•	•
	•			
	•			
	•			
	•			
		• •		
	• •	• •		
• • •	• •	• •		
• • •	• •	• •		
• • •	• •	• •		
• • •	• •	• •		
	•			
• • •	• •	• •		
• • •	• •	• • •	•	•
• • •	• •	• •		
• • •	• •	• •		
• • •	• •	• •		
	•			
• • •	• •	• •		
•	•	•		
• • •	• •	• • •		• •
•	•	• •		
• • •	• •	• • •		• •
•	•	• •		
• • •	• •		•	•
• • •	• •	• •		
• • •	• •	• •		
• • •	• •	• •		
• • •	• •	• •		
		•		
	• •	• •		
	• •	• •		

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm

Further core materials available upon request: P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (--> page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61 m

Door Programme: 90 decors Door Size Laminates + Thin chipboard LAM 3 mm (---> page 31)

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Solution Compact Laminates (→ page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core

Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm

Further core materials available upon request:

Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) /

both-sided (920 mm) edged ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

Woodgrains

				Eur	⇔ rodek	cor	◆*			⊗ ∏ mina			\$		
• qui	ickly availa	able			ge 27)						3 m m	3 mm	mm		
o ava	ailable witl	h producti	on time	2800 × 2070 mm MFC P2	2800×2070mm ML/MW (page	2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	XL 2790 × 2060 × 0.8 mm	=	Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	Thin chipboard LAM 2250 x 950 / 1300 mm
Q = end	d-grain ed	ging		70 m	70 mr	70 m	nse 2	2800	2060	0.6 mm from roll	Core	2150	amina	2800	ooard
1 onl	ly for vertic	cal use		× 20	× 20	× 20	ctSe	dard	× 06	ım fr	Ired	size	act	ight	chipl × 95
All dime	ensions in	mm		2800	2800	2800	Perfe	Stano	XL 27	0.6 m	Color	Door	Comp	Eurol	Thin 2250
JAE .	H1334	ST9	Light Sorano Oak	•	0	0		•		•		0	0	0	0
	H1377	ST36	Sand Orleans Oak	0	0	0		•						0	
100 - 7	H1379	ST36	Brown Orleans Oak	0	0	0		•						0	
	H1387	ST10	Graphite Denver Oak	•	0	0		•				0	0	0	0
	H1399	ST10	Truffle Brown Denver Oak	•	0	0		•					0	0	
超 加	H1400	ST36	Attic Wood	•	0	0		•						0	
1000	Q1400	RO	Attic Wood												
	H1401	ST22	Cascina Pine	•	0	0		•		•		0	0	0	0
	H1424	ST22	Fineline Cream	•	0	0		•					0	0	
7.554	H1444	ST9	Alpine Pine	•	0	0		•					0	0	
	H1486	ST36	Pasadena Pine	•	0	0		•						0	
	Q1486	RO	Pasadena Pine												
1	H1487	ST22	Bramberg Pine	•	0	0		•				0	0	0	0
	H1511	ST15	Bavarian Beech	•	0	0		•					0	0	
	H1518	ST15	Natural Beech	0	0	0		•					0	0	
	H1582	ST15	Ellmau Beech	•	0	0		•		•		0	0	0	0
NEW Y	H1615	ST9	Verona Cherry	•	0	0		•				0	0	0	0
3 1	H1636	ST12	Locarno Cherry	•	0	0		•					0	0	
MATERIA	H1733	ST9	Mainau Birch	•	0	0		•					0	0	
	H1734	ST9	Intarsie Walnut Horizontal					0				0			0
1131	H1887	ST9	Natural Starnberg Maple	0	0	0		•				0	0	0	0
BULLIN	H2415	ST10	Sonnenberg Spruce							•					
100000	H3001	ST15	Odessa Ash					•							
	H3006	ST22	Sand Zebrano	•	0	0		•					0	0	
	H3012	ST22	Coco Bolo	•	0	0		•				0	0	0	0
ME III	H3025	HG	Macassar					•							
OR H	H3025	PG/ST2	Macassar				0								
68 110	H3047	ST10	Truffle Brown Borneo	•	0	0		•					0	0	
10.00	H3048	ST10	Antique Brown Borneo	•	0	0		•					0	0	
	H3058	ST22	Mali Wenge	•	0	0		•				0	0	0	0
	H3080	ST15	Mahogany	•	0	0		•						0	
	H3081	ST22	Black Havana Pine	•	0	0		•						0	
1 1718	H3090	ST22	Shorewood	•	0	0		•				0	0	0	0
18 8	H3113	ST15	Lindau Pearwood	•	0	0		•				0	0	0	0
	H3114	ST9	Tirano Pearwood	•	0	0		•				0	0	0	0
	H3131	ST12	Natural Davos Oak	•	0	0		•					0	0	
A IST	H3133	ST12	Truffle Brown Davos Oak	•	0	0		•		•			0	0	
	H3154	ST36	Dark Brown Charleston Oak	•	0	0		•						0	
84 / EC	Q3154	RO	Dark Brown Charleston Oak												
100	H3155	ST10	Tobacco Charleston Oak	0	0	0		•						0	

				0	9					9	=	9	
		(Acc	A cent l	ABS E Edgir	dgin ng →	g page	24)				Work	tops	
• • • • 23 × 0.4 mm (100 m) pre-glued	23 × 0.4 mm (200 m)	23 × 0.8 mm (75 m)	23 × 1 mm (75 m)	23 × 2 mm (75 m)	28 × 2 mm (75 m)	43 × 0.8 mm (25 m)	43 × 1.5 mm (25 m)	43×2mm (25m)	54 × 2 mm (25 m)	PMMA Edging 23 × 1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	Splashback Panel 4100 × 1310 × 8 mm
•	•	•			•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•	•	•	•	•		•		•
•	•	•		•	•				•				
•	•	•		•	•			•	•				
•	•	•		•	•	•			•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
							•				•		•
				•									
•	•	•		•	•			•	•				
				•									
	_	_	•		_			_	_	•			
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•		•	•	•		•		•
•		•		•	•	•		•	•				

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm

Further core materials available upon request: P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61 m **Door Programme:** 90 decors Door Size Laminates + Thin

chipboard LAM 3 mm (--- page 31) **Upon request:** Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Compact Laminates (---> page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core

Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm

Further core materials available upon request: Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) / both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

Woodgrains

			Eu	. urode	kor	♣			⊗ ∏ mina			\$		
quickly a	vailable			e 27)						шш	шш	ш		
a vailable	with produ	ction time		* pag		ши	шш			× 0.8	× 0.0	760 m		
			P2	2800×2070 mm ML/MW (page		PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	ш		Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	mm (
			MFC	ML/I	MDF	× 00	1310	0.8		300 ×	950/	es 27	2070	AM
Q = end-grair	edging		mm (mm	mm (e 28	300 ×	× 090	n roll	re 28	150 ×	ninat	× 008	Thin chipboard LAM
only for v	ertical use		2070	2070	2070	Sens	rd 28) × 2(fron	o po	ze 21	t Lan	ht 28	oddi
All dimension:	s in mm		2800 × 2070 mm MFC P2	300 ×	2800 × 2070 mm MDF	erfect	anda	XL 2790 × 2060 × 0.8 mm	0.6 mm from roll	oloure	oor si	ompa	Eurolight 2800 × 2070 mm	nin ch
H315	5 ST12	Grey Corbridge Oak	28	0 28	0 28	Pe	St	×	0.	Ö	Ď	0	о П	上
H3157		Vicenza Oak	0	0	0		•					0	0	
H3170		Natural Kendal Oak		0	0		•					0	0	
H317		Oiled Kendal Oak	0	0	0		•					0	0	
H330		Natural Hamilton Oak		0	0		•		•		0	0	0	
H330		Sand Gladstone Oak		0	0		_	•				•	0	
Q330		Sand Gladstone Oak												
H332		Tobacco Gladstone Oak		0	0			•				•	0	
Q332		Tobacco Gladstone Oak												
H332		Grey-Beige Gladstone Oak	•	0	0			•				•	0	
Q332		Grey-Beige Gladstone Oak												
H333		Natural Nebraska Oak	•	0	0		•		•			0	0	
H333		Grey Nebraska Oak	0	0	0		•		•			0	0	
H333		White Gladstone Oak	0	0	0			•				•	0	
Q333		White Gladstone Oak												
H334		Sepia Gladstone Oak	•	0	0			•					0	
Q334	2 RO	Sepia Gladstone Oak												
H334		Natural Fineline Oak	0	0	0		•						0	
H336	8 ST9	Natural Lancaster Oak	0	0	0		•					0	0	
H339	5 ST12	Natural Corbridge Oak	•	0	0		•				0	0	0	
H339	8 ST12	Cognac Kendal Oak	•	0	0		•					0	0	
H340	3 ST38	White Mountain Larch	0	0	0			•					0	
Q340	3 RO	White Mountain Larch												
H340	4 ST38	Brown Mountain Larch	0	0	0			•					0	
Q340	4 RO	Brown Mountain Larch												
H340	6 ST38	Anthracite Mountain Larch	0	0	0			•					0	
Q340	6 RO	Anthracite Mountain Larch												
H342	0 ST36	Thermo Pine	0	0	0		•						0	
H343	0 ST22	White Aland Pine	•	0	0		•				0	0	0	
H343	3 ST22	Polar Aland Pine	•	0	0		•				0	0	0	
H345	0 ST22	White Fleetwood	•	0	0		•				0	0	0	
H345	1 ST22	Champagne Fleetwood	•	0	0		•				0	0	0	
H345	3 ST22	Lava Grey Fleetwood	•	0	0		•				0	0	0	
H347	0 ST22	Natural Pine	0	0	0		•					0	0	
H370	o ST10	Natural Pacific Walnut	•	0	0		•				0	0	0	
H370	2 ST10	Tobacco Pacific Walnut	•	0	0		•		•				0	
H370	4 ST15	Tobacco Aida Walnut	•	0	0		•		•			0	0	
H3710	ST9	Natural Carini Walnut	0	0	0		•					0	0	
H371	ST9	Tobacco Carini Walnut	•	0	0		•					0	0	
H373	0 ST10	Natural Hickory	•	0	0		•					0	0	

	⊚ ABS Edging (Accent Edging → page 24)										9	Work	tops	
			(Acc	ent l	Edgir	ıg →	page	24)						
	23 × 0.4 mm (100 m) pre-glued	23×0.4 mm (200 m)	23 × 0.8 mm (75 m)	23×1mm (75 m)	23 × 2 mm (75 m)	28 × 2 mm (75 m)	43×0.8 mm (25 m)	43×1.5 mm (25 m)	43×2mm (25m)	54 × 2 mm (25 m)	PMMA Edging 23 × 1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	Splashback Panel 4100 × 1310 × 8 mm
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
ı	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•		•	•	•		•		
	•						•							
	•	•	•		•	•	•	•	•	•			•	•
	•	•	•		•	•	•		•	•				
	•	•	•		•	•		•	•	•		•		•
Ī	•	•	•		•	•		•	•	•		•		•
	•	•	•		•	•			•	•				
			•				•		•					
	•	•	•		•	•			•	•				
١			•				•		•					
	•	•	•		•	•			•	•				
	•									•				
ı	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
			•				•		•					
	•	•	•		•	•			•	•				
			•				•		•					
	•	•	•		•	•			•	•				
	•	•	•		•	•	•		•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				
	•		•			•			•					
	•	•	•		•	•			•	•				
	•	•	•		•	•			•	•				

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm

Further core materials available upon request: P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61 m **Door Programme:** 90 decors Door Size Laminates + Thin chipboard LAM 3 mm (--- page 31)

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Compact Laminates (---> page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core

Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm

Further core materials available upon request: Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) / both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

Woodgrains, Materials

			Eı	⇒ urod	 ekor	♦			⊗ ∏			\$		
 quickly availa 	able			e 27)						шш	шш	ш		
		ion time		Dag		E	ш			0.8	0.8	50 m		
available wit	ii product	ion time		1		,0 m	.8 m			01 ×	20 ×	× 206	Е	
			C P2	×	ш	207	0 × 0	шш		× 13,	/10	790	0 m	_
			MFG	M	MD	× 00	131(0.8		300	950	es 27	207	AM
Q = end-grain ed	ging		E E	H H	ш	28(× 00	× 09	roll	е 28	×	inate	× 00	rd L 300
			070	070 r	070	ense	1 28(< 20(rom	Cor	215	Lam	280	chipboard LAM 0 × 950/1300 mm
only for verti	cal use		× 20	× 20	× 2(ctSe	dard	,06	ım f	ıred	size	act	ight	chip × 95
All dimensions in	mm		2800 × 2070 mm MFC P2	2800 × 2070 mm ML/MW (page	2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310 × 0.8 mm	XL 2790 × 2060 × 0.8 mm	0.6 mm from roll	Coloured Core 2800 ×1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	Thin c 2250 :
H3732	ST10	Brown Hickory	•	0	0		•					0	0	
H3734	ST9	Natural Dijon Walnut	•	0	0		•				0	0	0	0
H3760	ST29	White Cape Elm	0	0	0			•					0	
Q3760	RO	White Cape Elm												
H3766	ST29	Dark Brown Cape Elm	0	0	0			•					0	
Q3766	RO	Dark Brown Cape Elm												
H3773	ST9	Bleached Carini Walnut	•	0	0		•				0	0	0	0
H3840	ST9	Natural Mandal Maple	•	0	0		•				0	0	0	0
H3860	ST9	Champagne Hard Maple	•	0	0		•		•			0	0	
H3991	ST10	Natural Country Beech	•	0	0		•				0	0	0	0
		Materials												
F028	ST89	Anthracite Vercelli Granite					•		•					
F029	ST89	Grey Vercelli Granite					•		•					
F041	ST15	White Sonora Stone					•		•					
F059	ST89	Grey Karnak Granite					•		•					
F061	ST89	Brown Karnak Granite					•		•					
F066	ST76	Beige Sullana Granite					•		•					
F067	ST76	Grey Sullana Granite					•		•					
F074	ST9	Light Grey Valmasino Marble							•					
F076	ST9	Grey Braganza Granite							•					
F080	ST82	White Mariana Stone							•					
F081	ST82	Anthracite Mariana Stone							•					
F092	ST15	White-Grey Cipollino Marble							•					
F093	ST15	Grey Cipollino Marble					•		•					
F094	ST15	Black Copper Cipollino Marble					•		•					
F104	ST2	Latina Marble							•					
F105	ST15	Torano Marble					•		•					
F110	ST9	Blue Giada Marble							•					
F141	ST15	Jade Eramosa Marble							•					
F142	ST15	Black Eramosa Marble							•					
F147	ST82	Grey Fine Granite							•					
F148	ST82	Brown Fine Granite					•		•					
F160	ST9	Marmara Marble					•		•					
F166	ST9	White Pelago Marble					•		•					
F186	ST9	Light Grey Chicago Concrete	•	0	0		•		•		0	0	0	0
F187	ST9	Dark Grey Chicago Concrete	•	0	0		•		•		0	0	0	0
F221	ST87	Cream Tessina Ceramic					•		•					
F222	ST87	Terra Tessina Ceramic					•		•					
CONTRACTOR OF STREET														
F236 F238	ST15 ST15	Grey Terrazzo Black Terrazzo					•		•					

		(Acc	A cent l	BS E	dgin ng →	g page	24)			9	Work	tops	
23 × 0.4 mm (100 m) pre-glued	23 × 0.4 mm (200 m)	23 × 0.8 mm (75 m)	23×1mm (75 m)	23 × 2 mm (75 m)	28 × 2 mm (75 m)	43 × 0.8 mm (25 m)	43×1.5 mm (25 m)	43 × 2 mm (25 m)	54 × 2 mm (25 m)	PMMA Edging 23 × 1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	Splashback Panel 4100 × 1310 × 8 mm
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
		•				•		•					
•	•	•		•	•	•		•	•				
•	•	•		•	•			•	•				
•	•	•		•	•		•	•	•		•		•
•	•	•		•	•			•	•				
				•			•						
							•				•		•
				•			•				•		•
				•			•				•		•
				•			•				•		•
•	•	•		•	•			•	•				
_				•			•				•		•
				•			•				•		•
				•									

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm Further core materials available upon request:

P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61 m **Door Programme:** 90 decors Door Size Laminates + Thin chipboard LAM 3 mm (--- page 31)

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Solution Compact Laminates (→ page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core Further thicknesses available upon request: 3, 5, 6, 10 and 12 mm Further core materials available upon request:

Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) /

both-sided (920 mm) edged ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

						\$		\$			\$ □			\$		
					Eu	rode	kor			La	mina	tes				
•	quickly ava	ilable				ge 27)						шш	mm	ши		
0	available w	ith produc	tion time			* pag		H H	шш			× 0.	× 0.	1090		
					2	×		070	× 0.8 mm	E		310	020	0 × 2	шш	
					IFC F	L/M	1DF) × 2	310 >	.8 m		× 0	50/1	279	070	M E
					M M	E M	M M	2800	0 × 1	×	ll o	280	× 9	ates) × 2	d LA 00 n
Q =	end-grain e	dging			70 m	70 m	70 m	ıse į	2800	206	om r	Core	2150	amin	2800	oar 0/13
	only for ver	tical use			× 20	< 207	× 20.	tSer	ard	×	n fro	red (ize	act La	ght 2	hipb 950
All	dimensions i	n mm			2800 × 2070 mm MFC P2	2800 × 2070 mm ML/MW (2800 × 2070 mm MDF	PerfectSense 2800 × 2070 mm	Standard 2800 × 1310	XL 2790 × 2060 × 0.8 mm	0.6 mm from roll	Coloured Core 2800 × 1310 × 0.8 mm	Door size 2150 × 950 / 1020 × 0.8 mm	Compact Laminates 2790 × 2060 mm	Eurolight 2800 × 2070 mm	Thin chipboard LAM 2250 × 950 / 1300 mm
11	F256	ST87	Colourful Slate						•		•					
20	F274	ST9	Light Concrete		0	0	0		•		•			0	0	
	F275	ST9	Dark Concrete						•		•					
	F283	ST22	Boston Concrete		0	0	0		•		•			0	0	
	F292	ST9	Beige Tivoli Travertine								•					
	F300	ST87	Ferro Rust						•		•					
	F302	ST87	Ferro Bronze		•	0	0		•		•		0	0	0	0
1000	F303	ST87	Ferro Titan Grey						•		•					
	F310	ST87	Ceramic Rust		0	0	0		•		•			0	0	
	F311	ST87	Ceramic Anthracite		0	0	0		•		•			0	0	
	F312	ST87	Ceramic Chalk								•					
19 KG	F365	ST16 ST82	Amarna Gold		0	0	0		•		•				0	
	F371 F385	ST10	Grey-Beige Galizia Granite Cement						•		•					
	F404	ST76	Cognac Leather						•		•					
	F424	ST10	Brown Linen		0	0	0							0	0	
1000	F425	ST10	Beige Linen			0	0		•					0	0	
	F426	ST10	Grey Linen		0	0	0		•					0	0	
	F433	ST10	Anthracite Linen		•	0	0							0	0	
	F447	ST2	Lava Grey Metallic	П	0	0	0		•					0	0	
	F477	ST9	Blue-Grey Metallic	Ħ	0	0	0		•					0	0	
	F478	ST9	Cubanit Grey Metallic	П	0	0	0		•					0	0	
	F501	ST2	Brushed Aluminium	I	•	0	0		•				0	0	0	0
	F502	ST2	Finely Brushed Aluminium								•					
	F503	ST2	Anthracite Metallic	1					•							
	F509	ST2	Aluminium	1	•	0	0		•				0	0	0	0
	F547	ST9	Metal Blocks						•		•					
	F549	ST9	Cracked Metal						•							
	F570	ST2	Copper Metallic	I	•	0	0		•					0	0	
	F571	ST2	Gold Metallic	t	•	0	0		•					0	0	
	F633	ST87	Grey-Brown Metal						•		•					
	F638	ST16	Chromix Silver		0	0	0		•		•				0	
	F641	ST16	Chromix Anthracite		•		_		•		•					
	F649	ST16	White Claystone			0	0		•		•				0	
	F651 F672	ST16 ST16	Grey Claystone Gold Calabria Stone		•	0	0		•		•				0	
	F672	ST16	Titan Grey Calabria Stone													
	F784	ST16	Brushed Brass	Ħ	0	0	0		•					0	0	
	F870	ST76	Leon Slate	ш		0	J		•		•					
	Γδ/U	31/6	Levii Sidle								•					

		(Acc	A cent l	BS E Edgir	dgin ng →	g page	24)			9	Work	tops	
23 × 0.4 mm (100 m) pre-glued	23 × 0.4 mm (200 m)	23 × 0.8 mm (75 m)	23×1mm (75m)	23 × 2 mm (75 m)	28 × 2 mm (75 m)	43 × 0.8 mm (25 m)	43×1.5 mm (25 m)	43×2mm (25m)	54 × 2 mm (25 m)	PMMA Edging 23×1.3 mm (75 m)	Postforming 300/3 4100 × 600/920 × 38 mm	Straight edge 100/1.5 4100 × 600/920 × 38 mm	 Splashback Panel 4100 x 1310 x 8 mm
				•			•				•		•
•	•	•		•	•		•	•	•		•		•
•	•	•		•	•			•	•				
							•				•		•
•	•	•		•	•		•	•	•		•		•
				•			•				•		•
•	•	•		•	•		•	•	•		•		•
							•				•		•
•	•	•		•	•			•	•				
				•			•				•		•
				•									
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
				•			•				•		•
•	•	•		•	•			•	•				
				•			•				•		•
•	•	•		•	•			•	•				
•	•	•		•	•			•	•				
•	•	•		•	•		•	•	•		•		•
				•			•				•		•
•	•	•		•	•		•	•	•		•		•
-				•							_		
				•									
•	•	•		•	•			•	•				

• quickly availbale: 18 mm - P2 core Further thicknesses P2 upon request: 8, 10, 12, 16, 19, 22, 25, 28, 32 and 38 mm

Further core materials available upon request: P3 (16 and 18 mm) and Flammex (16, 18 and 25 mm)

ST30: available in 8, 16, 18, 19 and 25 mm, P2 only, min. 24 pcs.

Eurodekor Melamine Faced MDF

• quickly availbale: 18 mm MDF ST W980 SM and GFE; 16, 18 and 19 mm MDF MB W980 SM one-sided Further thicknesses MDF ST upon request: 8, 10, 16, 18, 19 and 25 mm

Further thicknesses MDF Flammex: 16, 18 and 25 mm

Eurodekor ML/MW (----> page 27)

• quickly availbale: 18 mm W1001 (MW) and U708 (ML) Further thicknesses available upon request: 18, 16 and 25 mm - P2 core

ML (brown underlay) or MW (white Underlay, for W1001) multilayer contruction 0.6 mm per side

S PerfectSense Lacquered Boards (→ page 28)

• quickly availbale: 18 mm, MDF core

Laminates (→ page 30)

Laminate from roll for the worktop programme: width 1310 mm, thickness 0.6 mm - minimum length 2 m up to 5.61 m **Door Programme:** 90 decors Door Size Laminates + Thin chipboard LAM 3 mm (---> page 31)

Upon request: Other sizes like Laminate Micro in 0.15 mm and fire retardant quality (min. 260 m²)

Laminate bonded boards upon request: All our laminates can be delivered bonded on various core qualities (P2, P3, Flammex Euroclass B, MDF, Eurolight) – standard format 2800 × 1310 mm; XL format for Feelwood 2800 × 1010 mm

Solution Compact Laminates (→ page 32)

• quickly availbale: 8 and 13 mm with black core, W1001 ST9 with white core Further thicknesses available upon request:

3, 5, 6, 10 and 12 mm

Further core materials available upon request: Flammex (black core only) in 6, 8 and 10 mm

Eurolight Lightweight Boards (→ page 29)

Available in 38 mm and 50 mm, top layer 8 mm, also raw and with painting grade

© Edging (→ page 34)

Decors with "Q" (e.g. Q3309) are end-grain edges for Feelwood decors

Available upon request:

cut to width service from 100 mm roll,

min. width 12 mm, mixed widths possible, 75 m length of roll

■ Worktops (→ page 36)

Model 300/3, P2: Radius 3 mm, one-sided (600 mm) / both-sided (920 mm) profiled

Model 100/1.5, P2: one-sided (600 mm) / both-sided (920 mm) edged

ABS edge in 43 × 1.5 mm

width 1200 mm on request

For all worktops, there are matching splashback panels as well as end profiles and accessories available

Accent Edging

quickly available			Material	23 × 1.3 (75 m)	43 × 1.3 (25 m)	54 × 1.3 (25 m)
U8980	ST9	Contrast Cosmos Grey-White	ABS	•	•	•
U8981	ST9	Contrast Onyx Grey-White	ABS	•	•	•
U8982	ST9	Contrast Lava Grey-White	ABS	•	•	•
H8955	SM	Multiplex Black	ABS	•	•	•
H8956	ST10	Three Layer White-Grey	ABS	•	•	•
H8957	ST10	Three Layer Nature	ABS	•	•	•
H8958	ST10	Three Layer Anthracite	ABS	•	•	•
H8959	AC	Doppia Black-Nature	PMMA	•	•	•
H8960	AC	Doppia White-Nature	PMMA	•	•	•
H8961	AC	Doppia Onyx Grey-Nature	PMMA	•	•	•
F8980	LI	Linea Black	PMMA	•	•	•
F8981	AC	Doppia Black-Copper	PMMA	•	•	•
F8982	AC	Doppia Black-Gold	PMMA	•	•	•

Visualisation



Our world in your hands

With the help of the EGGER App, you have the entire EGGER Decorative Collection as well as the Virtual Design Studio (VDS) at your disposal, anywhere and at anytime.

Visit the inspiration area and create your own ideas or simply scan the QR code of your samples in order to transfer the decor directly into VDS. The EGGER App is available in the App Store and from Google Play.







Give life to your ideas

The Virtual Design Studio (VDS) is the perfect advice tool. It allows you to visualise your ideas and those of your customers quickly, easily and online. Place EGGER flooring and furniture decors in a variety of rooms. In addition to the free VDS online version, VDS Profi can be used to provide professional advice: www.egger.com/vdsonline

All EGGER decors are available to download as decor scans to your own CAD and design software: www.egger.com/myegger



Today's samples are tomorrow's business

You can provide comprehensive advice to your customers with A4 samples from the EGGER Shop. In addition to samples, the Shop also offers brochures – for excellent advice please visit: www.egger.com/shop



More information with just a few clicks

All news and information on products and decors, on the company and on our comprehensive services are available at www.egger.com.

Technical data, processing instructions, environmental product declarations, test reports and declarations of performance are available to download.

Colour guide Uni Colours: NCS/RAL/Pantone

Decor	Decor name	NCS	RAL	Pantone
W908	Basic White	S1002-G50Y	9016	_
W911	Cream White	S0502-Y	9010	-
W980	Platinum White	S0502-G50Y	9016	-
W1000	Premium White	S0500-N	9003	-
W1001	Solid Premium White	S0500-N	9003	-
W1100	Alpine White	S0500-N	9003	_
W1101	Solid Alpine White	S0500-N	9003	_
W1200	Porcelain White	\$1002-G50Y	9016	_
W1300	Glacier White	S0505-R60B	1012	_
U104 U107	Alabaster White Velvet Yellow	S0505-Y10R S0520-Y10R	1013	1205U
U107	Vanilla Yellow	S1005-Y20R	1015	12050
U113	Cotton Beige	S1010-Y30R	1015	_
U114	Brilliant Yellow	S0560-Y10R	1013	115U
U131	Citrus Yellow	S0560-G90Y	1016	101U
U140	Saffron Yellow	S1030-Y10R	-	-
U146	Maize Yellow	S1040-Y10R	_	141C
U156	Sand Beige	S2005-Y40R	_	_
U163	Curry Yellow	S2060-Y10R	1032	_
U200	Beige	S3010-Y40R	-	-
U201	Pebble Grey	S3005-Y20R	7044	402U
U204	Camel Brown	S3010-Y30R	-	-
U216	Came Beige	S0502-Y50R	9001	-
U222	Crema Beige	S0505-Y40R	-	-
U224	Silk White	S0603-Y40R	9001	-
U310	Coral Orange	S1060-Y60R	-	_
U311	Burgundy Red	S5040-R	3004	-
U313	Rose White	S0907-Y90R	-	-
U321	China Red	S1580-Y90R	3020	485C
U323	Chilli Red	S1580-R	3003	1805C
U328	Lipstick Red	S1080-Y80R	2002	173C
U330 U332	Aubergine Purple	S7010-R30B S0570-Y50R	2003	_
U334	Orange Nude Brown	S2020-Y40R	2003	728C
U337	Fuchsia Pink	S3050-R20B	_	208C
U340	Sorbet Orange	S1070-Y30R	_	130U
U350	Siena Orange	S2570-Y40R	_	152U
U353	Dusty Pink	S1020-Y80R	_	_
U363	Flamingo Pink	S1040-R10B	3015	700U
U380	Blood Orange	S3050-Y70R	2001	166U
U390	Indian Red	S2075-Y70R	3016	173U
U400	Powder Violet	S1010-R50B	-	664U
U404	Crocus Pink	S2060-R40B	4008	2415U
U414	Dark Violet	S6030-R50B	-	-
U420	Purple	S4020-R50B	-	667U
U430	Violet	S5030-R60B	-	275U
U500	Glacier Blue	\$1020-B30G	-	-
U504	Tyrolean Blue Smoke Blue	S6020-R90B	5000	295U
U507 U515	French Blue	S5020-R90B S2050-R90B	5014	652U 292U
U522	Horizon Blue	S1030-R80B	_	2708U
U525	Delft Blue	S3060-R90B	_	300U
U533	Polar Blue	S0510-R90B	_	642C
U540	Denim Blue	S3010-R90B	_	651U
U550	Marine Blue	S6030-R80B	5003	288U
U560	Deep Sea Blue	S5540-R70B	5002	72U
U570	Midnight Blue	S7020-R70B	5013	2757U
U599	Indigo Blue	S8505-R80B	5004	-
U606	Forest Green	S7020-B90G	6005	343U
U608	Pistachio Green	S2005-G20Y	-	5527U
U617	Wasabi Green	S1515-G80Y	1000	5865C
U619	Olive Yellow	S4030-Y	-	1255U
U626	Kiwi Green	S3050-G40Y	-	377U
U630	Lime Green	S1060-G40Y	-	381U
U636	Fjord Green	S4010-B50G	-	_
U646	Niagara Green	S5030-B30G	-	3165U
U650	Fern Green	S45050-G30Y	6010	363U
U655	Emerald Green	S4050-B90G	6016	341U

Decor	Decor name	NCS	RAL	Pantone
U660	Amazon Green	S6030-B50G	6004	_
U702	Cashmere Grey	S2005-Y60R	-	406U
U7021	Solid Cashmere Grey	S2005-Y60R	-	406U
U707	Silk Grey	S1500-N	7047	-
U708	Light Grey	S2000-N	7047	420C
U7081	Solid Light Grey	S2000-N	7047	420C
U717	Dakar Grey	S3005-Y20R	7032	_
U727	Stone Grey	S4005-Y50R	-	407C
U732	Dust Grey	S5000-N	7037	423U
U741	Lava Grey	S7502-Y	-	Black U
U748	Truffle Brown	S7005-Y50R	-	411U
U750	Taupe Grey	S2005-Y20R	7044	2U
U763	Pearl Grey	S2500-N	-	_
U767	Cubanit Grey	S5005-Y20R	-	-
U773	Dusk Grey	S2000-N	7047	428C
U775	White Grey	S1002-Y	-	-
U788	Arctic Grey	S4500-N	-	Cool Grey 74
U7881	Solid Arctic Grey	S4500-N	-	Cool Grey 74
U795	Brown Grey	S6005-Y20R	7006	_
U807	Nougat Brown	S6020-Y50R	8024	_
U818	Dark Brown	S8010-Y50R	8016	_
U899	Cosmos Grey	S8500-N	-	Black 3U 2X
U960	Onyx Grey	S6500-N	7012	_
U9601	Solid Onyx Grey	S6500-N	7012	_
U961	Graphite Grey	S8000-N	7016	433U
U963	Diamond Grey	S7500-N	7024	426U
U9631	Solid Diamond Grey	S7500-N	7024	433U
U989	Black Brown	S8505-Y80R	9004	Black 5U 2X
U999	Black	S9000-N	9005	3C2X
U9991	Solid Black	S9000-N	9005	3C2X
F509	Aluminium	-	9006	_



The closest value of NCS, RAL and Pantone is always indicated. Due to the different surface textures colour differences are possible.

Core Boards



Choosing the right core boards

Our raw boards are available in various thicknesses between 8 and 38 mm (38 or 50 mm for Eurolight Lightweight Boards). Contact EGGER for

Handling and storage

To avoid dimensional variations due to climatic conditions, the boards must be stored in a clean, closed and dry area (at around 20 °C and 55 to 65% relative humidity), away from water and not in contact with the ground. The boards must remain perfectly flat during storage, by aligning the intermediate bearers. When handling melamine-faced boards or laminates, avoid sliding the decorative faces across one another. Lift the boards by hand or by using suction pads. Remember to protect the decorative face at the top of the stack with a piece of cardboard or a rigid board with the same surface. Prior to implementation, allow the boards to condition for around 10 days in the area.

Board type	Description	Material features	Areas of application
Eurospan E1 P2 CE Chipboards	Made with 3 layers: 2 surface layers made from very fine wood particles (almost sawdust-like) and a core layer of fine wood chips.	Interior, dry, non-load bearing environments (EN 312 type 2) Euroclass D-s2, d0 (EN 13501-1)	Ideal core for furniture or decorative design. Surface suitable for melamine coating, bonding laminate, veneering etc.
Eurospan E1 P3 CE Chipboards	Made with 3 layers: 2 surface layers made from very fine wood particles (almost sawdust-like) and a core layer of fine wood chips. The core is coloured green for identification purposes.	Interior, humid, non-load bearing environments (EN 312 type 3) Euroclass D-s2, d0 (EN 13501-1)	Furniture and decorative design in humid or unheated parts. Surface suitable for melamine coating, bonding laminate or veneering etc.
Eurospan E1 P2 Flammex CE Chipboard	Made with 3 layers: 2 surface layers made from very fine wood particles (almost sawdust-like) and a core layer of fine wood chips. The core is coloured red for identification purposes.	Interior, dry, non-bearing environment (EN 312 type 2) Euroclass B-s2, d0 (EN 13501-1) flame retardant quality	Furniture and decorative design in public assembly buildings. Surface suitable for melamine coating, bonding laminate or veneering etc.
EGGER MDF E1 CE Medium density fibreboard	Characterised by a fine and regular surface, high density on the surface and a dense, homogeneous core.	Dry, non-bearing environment (EN 622) Euroclass D-s2, d0 (EN 13501-1)	Ideal for routing, grooving and profiling, on edges as well as sides. Surface suitable for all types of coating, including lacquer and varnish (more details at www.egger.com)
EGGER MDF E1 Flammex Carb2 B Medium density fibreboard	Characterised by a fine and regular surface, high density on the surface and a dense, homogeneous core.	Dry, non-bearing environment (EN 622) Euroclass B-s1, d0 (EN 13501-1) flame retardant quality	Furniture and interior fit-outs in public buildings Ideal for routing, grooving and profiling, on edges as well as sides. Surface suitable for all types of coating, including lacquer and varnish (more details at www.egger.com)
Eurolight E1 P2 CE Lightweight Board	Consists of two 8 mm thick chipboard top-layers and a lightweight core made of recycled cardboard.	Dry, non-bearing environments Euroclass D-s1, d0 (EN 13501-1)	Ideal to create chunky, yet lightweight furniture




Eurodekor Melamine Faced Chipboards



Eurodekor melamine faced boards

A pre-bonded, ready-to-use, decorative solution that requires no further fabrication, other than edge finishing. This is an economical, but no less aesthetic, solution due to the recognised reproduction quality of EGGER decors and textures.



Wood-based decor board coated with melamine-resin-impregnated decor paper on both sides (EN 14322). The core board varies depending on the environment and mechanical requirements of the project. The surface texture is achieved during pressing with engraved chrome steel sheets.

Feelwood - synchronised pore surfaces

- The principle of synchronised pores is to align the structure and grain of the wood to achieve a result that, until now, had been reserved for
- EGGER has invested in the very latest technology to produce melamine-faced boards with synchronised pore surface on both sides.

Board type	Eurodekor Melamine Faced Chipboards	
Stock format	2800 × 2070 × 18 mm	
Core	E1 P2 dry environment chipboard	
Areas of application	Decorative interior design, furniture, cabinets, shelves, wall cladding, etc.	



Other formats and core materials available on request. Contact your EGGER partner for further details.



Every decor that's available in melamine-faced boards has matching edging available.

Technical details


- 100 % recyclable product.
- The characteristics of melamine-faced boards relate to the surface resistance in accordance with EN 14322. The mechanical characteristics depend on the core board chosen (--> page 26).
- Consult us before choosing different decors on either side or boards with a raw reverse side.
- In general, any combination of decor with a texture other than the one suggested must undergo a preliminary feasibility study.
- Some finishes require a multilayer construction (several layers of paper on each side). The final thickness of the board may vary by 0.4 to 1mm from a single layer melamine-faced board.

Eurodekor Plus ML – multilayer structure

Due to higher requirements upon the board surface in some applications, e.g., in office furniture, high-quality shopfitting, furniture in public buildings, worktops and other special surfaces, melamine faced chipboards may require a multilayer structure. The multilayer structure has a greater resistance to bending, thus making the boards particularly well suited for constructions with large spans.


Eurodekor Plus ML06

Eurodekor Plus ML meets requirements for higher impact resistance through special multi-layer structure. If required, an overlay can be additionally integrated for special abrasion requirements.



Eurodekor Plus MW06

W1001 is available as Eurodekor Plus MW with white barrier papers. (--- see delivery list page 6)






PerfectSense Lacquered Boards



PerfectSense Matt & Gloss Lacquered Boards

The PerfectSense range has marked the creation of a new category of decor boards, different from classic melamine-faced boards. A revolutionary UV coating (using inert Calander Coating technology) enhances the surfaces of the boards even further.



The development of a real mirror finish on Gloss and of the anti-fingerprint functionality on Matt in combination with such high resistance is a breakthrough in this product area. With the new product category, PerfectSense, EGGER makes the highest quality surfaces readily available, as well as economically viable.

Board type	PerfectSense
Description	PerfectSense matt or gloss finish: surface treatment with inert UV technology. The consistency of the MDF boards' surface helps bring about the high-end result, both in gloss and matt finishes. PerfectSense surfaces are scratch and heat resistant, and keep their characteristics over the long term.
Stock format	2800 × 2070 × 18 mm
Core	MDF ST E1 core board
Edging	Coordinated ABS edging 23 × 1.0 mm and PMMA edging 23 × 1.3 mm
Areas of application	Interior design and furniture, doors, wall panels, etc.
	One side with PerfectSense finish, the reverse with ST2 Delivered with a protective film.



Coordinated ABS edging with a thickness of 1.0 mm as well as PMMA edging with a thickness of 1.3 mm give the look of a lacquered finish



Technical data sheet and processing advice can be downloaded from www.egger.com/perfectsense

PerfectSense Matt (PM)

This surface reveals a very low sheen, matt finish with anti-fingerprint functionality in line with the very latest minimalist trends.



Technical details

- Velvety touch and low sheen
- Anti-fingerprint properties
- Also available as laminate

PerfectSense Gloss (PG)

This surface is characterised by an ultra-glossy finish, distinguishing it from other classic glossy surfaces.



- The perception of depth (mirror effect) has until now only been achieved with glass or acrylic
- No image distortion or orange peel effect
- Delivered with a protective film



PerfectSense Gloss is not available as a laminate. However each PerfectSense Gloss decor is available on the glossy HG laminate (non-postformable quality). As there are two different surface treatments, the degree of glossiness may differ however.

Eurolight Lightweight Boards



Combining design, lightness and strength, Eurolight lightweight boards are easy to process and install. The recycled honeycomb cardboard core makes these boards particulalrly sustainable.



Eurolight lightweight boards consist of two 8 mm thick surface layers and a cardboard lightweight core. They can be machined using standard tools and require no specific hardware such as screws. Due to the optimised thickness of the boards' exterior layers, the edges can be edged without inserting a frame.

Interior design and furniture, tables, doors, partitions, shelving, etc.

Eurolight can open up new opportunities for your projects:

- High value, chunky furniture
- Integration of electronic and electrical items into the furniture
- Invisible integration of cables

Technical details

- Lightweight boards are machined using standard tools.
- The exposed edges can be edged without inserting a frame beforehand.
- For cutting and finishing, the maximum pressure allowed is 0.15 N/mm² (1.5 kg/cm²).
- For more information on hardware, go to www.hettich.com or www.hafele.com

In the EGGER Decorative Collection 2017-2019, Eurolight is now available for all MFC decors!

3 different finishes for various applications!



Eurolight Raw

With raw surface, perfect for applications which require a laminate or veneered surface.

2800 × 2070 mm × 38 or 50 mm



Eurolight Painting Grade

Suitable for requirements where the board is to be lacquered (varnish, acrylic, DD, PUR, etc.).

2800 × 2070 mm × 38 or 50 mm



Eurolight Decor

Melamine-faced top-layers for a ready-to-use decor solution. Each decor is available in ABS edging 42 × 2 mm and 54 × 2 mm.

29

2800 × 2070 mm × 38 or 50 mm



See more ideas and tips in our Lightweight Boards Collection brochure or on www.egger.com/eurolight



A video showing the processing of Eurolight boards is available on www.egger.com/eurolight-video

Technical data sheets and processing advice can be downloaded from www.egger.com/downloads





Laminates are an ideal solution for mid- to high-usage surfaces and for the finishing of curved surfaces or rounded profiles.



Decor laminates with a thermosetting resin base, consisting of several pressed paper layers, with a melamine resin-impregnated decor sheet on the surface and one or more papers impregnated with phenolic resin in the core (EN 438-3). The laminate sheets must be bonded onto a substrate (normally chipboard or MDF).

Areas of application:

Worktops, wall panelling, shop counters, exhibition stands, curved interior fixtures, shops, doors, etc.

Description	Stock format	Material type	
Laminate	2800 × 1310 × 0.8 mm	HGP* classification (EN 438-3)	
	Door format: 2150 × 950 × 0.8 mm 2150 × 1020 × 0.8 mm	Postformable MED certificate (naval industry)	
Laminate XL	2790 × 2060 × 0.8 mm	HGS* classification (EN 438-3) Non-postformable MED certificate (maritime industry) Synchronised pore surfaces (ST28, ST29, ST33, ST37, ST38)	
Laminate PerfectSense Matt	2800 × 1310 × 0.8 mm	HGP* classification (in reference to EN 438-3) Postformable Delivered with protective foil	
Laminates in texture HG	2800 × 1310 × 0.8 mm	HGS* classification (EN 438-3) Delivered with protective foil Non-postformable	
Decors with pearlescent inks	2800 × 1310 × 0.8 mm	ATP* classification (EN 438-8) Vertical use only due to their lower resistance to scratching and abrasion	

* Glossary

HGP (EN 438-3) HGS (EN 438-3) ATP (EN 438-8) BTS (EN 438-9) Horizontal (H), general purpose (G), postformable (P) laminate Horizontal (H), general purpose (G), standard type (S) laminate Pearlescent (A), thin < 2 mm (T), postformable (P) laminate Coloured core (B), thin < 2 mm (T), standard type (S) laminate

Laminate 0.6 mm from roll – individual cutting

The increased flexibility qualities of these laminates makes them especially well suited to postformed applications. We use this quality to produce our worktops (\rightarrow page 36). These laminates are stored on rolls for our industrial processes. We enable you to cut your sheets to your desired length from 2000 mm up to 5610 mm with a width of 1310 mm. See the list of available decors in the «Decor availability» tab (\rightarrow pages 6–23).

Description	Stock format	Material type
Laminate	Thickness 0.6 mm Width 1310 mm Length from 2000 mm	HGP* classification Postformable

An optimal service to:

- make additional items in the same decor as the worktop,
- make worktops with straight edges in a length of your choosing,
- ensure a seamless finish on long surfaces.

Technical details

- EGGER laminates are suitable for interior use. For very high-usage surfaces (bar counters, floor covering, etc.), the item must be made to order. All made-to-order items have a minimum order of 260 m². Please ask for further details.
- Our laminates are manufactured on continuous production lines (except synchronised pore surfaces ST28, ST29, ST33, ST37, ST38).
 This feature enables us to produce laminates of variable length.
- EGGER laminates are considered HGP laminates (Postformable, for a horizontal general purpose), unless otherwise stated. Warning: pearlescent decors are for vertical use only.
 Note: the materials used to make Flammex fireproof laminates make the laminates more rigid, significantly reducing their postforming flexibility.
- Those EGGER MED laminates, with a nominal thickness of 0.8 mm, that possess postforming qualities are postformable longitudinally (the direction in which the laminates are made). The minimum bending radius must be 10 times the thickness of the laminate. Since the thickness of MED laminates is 0.8 mm, the smallest radius is 8 mm. However, depending on the settings of the equipment used, it is possible to reduce the bending radius down to 5 mm. In this case, testing must be performed prior to implementation. For routing and notching, the internal angles must be rounded to prevent cracking. Likewise, when fittings, accessories and profiles need to be attached to laminate bonded boards, pilot holes must be made in the laminate at the screw point. The diameter of the holes must be at least 1mm greater than the diameter of the screw so as to enable the board to move during temperature and humidity variations and thereby avoid the formation of cracks close to the hole. It is especially important to abide by these rules when using laminates with a coloured core.
- Some laminates are delivered with protective foil. This protective film should be removed prior to any postforming operations, subject to laminate suitability.
- All surfaces, even the most textured ones, are easy to clean and maintain. For further information, see the maintenance instruction information on our website.
- Due to their composition and technical constraints, there may be some differences in the decor colour between a classic laminate, a laminate with coloured core, a compact laminate and a melamine-faced board.

Coloured Core Laminates


Improve the finish by using laminates without the usual visible edge and joint lines.

EGGER laminate with coloured core is a decorative laminate which has a multilayer structure made up of melamine impregnated decor papers, through which the coloured core effect is achieved. Because the coloured core laminate has a different core construction this can lead to slight colour differences in comparison to other EGGER products.

Description	Stock format	Material type
Coloured core laminates	2800 × 1310 × 0.8 mm	BTS* classification (EN 438-9) Non-postformable MED certificate (maritime industry)

Laminate bonded boards

All EGGER laminates can be delivered bonded on any type of available core board. This solution provides an efficient response to any peak periods you may encounter and guarantees high-quality industrial bonding. In order to prevent any risk of bowing, the construction must be symmetrical (same thickness and/or material depending on the type of laminate and the thickness of the core). The maximum width of these boards is 1310 mm.



Areas of application:

High value projects including interior design, exhibitions and shop fitting; also suitable for use in furniture elements, worktops, table surfaces, doors and sales stands

Format	
Standard	2800 × 1310 mm
Feelwood decors (for ST28, ST29, ST33, ST37 and ST38 decors)	2790 × 1010 mm



Door size laminates

The EGGER Door Laminate Collection is a range of 90 of the latest designs and on trend finishes for internal doors (\rightarrow see delivery tab page 6–23). Optimise raw materials and labour costs by directly obtaining the sizes that are most suitable for your doors.

Format door size laminate	
Format 1	2150 × 950 × 0.8 mm
Format 2	2150 × 1020 × 0.8 mm

Standard Format	
Format 3	2800 × 1310 × 0.8 mm

Many of the door size laminate decors are also available in other products. This allows you to precisely coordinate your doors with other furniture elements within the room.

Solutions for door skins can be found in our offer of Thin Chipboards LAM in matching decors (\rightarrow) see delivery tab page 6–23)



Matching EGGER Laminate Micro – available on request, please ask your EGGER contact person for further details.

EGGER Laminate Micro in 0.15 mm thickness is especially suitable for the lamination of flat surfaces of products such as door leaves, door casings and frames. It also lends itself to wrapping processes for decorative trims and profiles as well as cornices and lighting pelmets. This thin

laminate is only suitable for reel-fed lamination or wrapping processes.




Technical data sheets and processing advice can be downloaded from www.egger.com/downloads

■ Compact laminates



EGGER Compact Laminate, white core (W1001)

In accordance with EN 438-9



The appeal of EGGER Compact Laminate is not just down to the attractive designs and textures. Its durability and moisture resistance in combination with the sleek design open up a new range of interior design opportunities that makes Compact Laminate so interesting for a variety of solutions within the commercial interiors market.

Compact laminates are high-pressure laminates produced by using multiple layers – melamine resin impregnated decorative paper as surface layer and fibrous with curable resins impregnated core layers. The layers are fused together under high pressure and temperature to create a self-supporting panel from as thin as 6 mm.

Compact laminates with printed decors (wood and material reproductions) are enhanced with overlay.

EGGER Compact Laminate, black core

In accordance with standard EN 438-4 and EN 438-8



Areas of application:

Interior applications subject to high stress, as well as areas where there may be an extra requirement for hygiene standards, such as in restaurants or hospitals. It is also used in wet areas, such as in bathrooms, sanitary facilities and changing rooms.

Technical details

- Hygienic and resistant to widely used chemical products
- Rot-proof and highly resistant to impact and humidity
- Requires no special treatment for the edges and surface
- Homogeneous material that's machinable in the mass



Feelwood synchronised pore surfaces

ST28 (except H3342) and ST37 are also available on compact laminate, they align the texture and grain of the wood.

Never before have our designs looked so real. This is the first time that such a high quality and high value finish has been technically feasible on compact laminate.

Sleek and contemporary

Compact laminates combine strength, robustness and sleekness in design. Thus, applications where thicker materials were required formerly, can be substituted by the elegant thin design of compact laminate.

Stay coordinated

Whether in uni colours, woodgrains or materials – compact laminate decors also come in melamine faced boards, lightweight boards, laminate sheets and edging.

An attractive offer that overcomes both technical and economic constraints without compromising in the harmony and design.

Description	Format	Material type
Compact laminate Standard, Black core	2790 × 2060 mm 3, 5, 6, 8, 10, 12 and 13 mm	CGS*
Compact laminate Standard for synchronised pore surfaces (Feelwood), Black core	2790 × 2060 mm 8 and 13 mm	CGS*
Compact laminate Flammex, Black core	2790 × 2060 mm 6, 8 and 10 mm	CGF*
Compact laminate, White core (W1001)	2790 × 2060 mm 3, 5, 6, 8, 10, 12 and 13 mm	BCS*
Compact laminate Pearlescent decors (marked with a grey arrow in the delivery list)	2790 × 2060 mm 3, 5, 6, 8, 10, 12 and 13 mm	ACS* only for vertical usage! Pearlescent decorative effect only single sided!
Compact laminate Flammex Pearlescent decors (marked with a grey arrow in the delivery list)	2790 × 2060 mm 3, 5, 6, 8, 10, 12 and 13 mm	ACF* only for vertical usage! Pearlescent decorative effect only single sided!

* Glossary

CGS (EN 438-4) CGF (EN 438-4) BCS (EN 438-9) ACS (EN 438-8) ACF (EN 438-8) Compact (C), general purpose (G), standard type (S) laminate Compact (C), general purpose (G), fire retardant quality (F) laminate Coloured core (B), compact (C), standard type (S) laminate Pearlescent (A), compact (C), standard type (S) laminate Pearlescent (A), compact (C), fire retardant quality (F) laminate



Our Compact Laminate range contains more than 180 decor and

texture combinations (---) see delivery tab page 6-23)



Technical data sheets and processing instructions can be downloadad from www.egger.com/compactlaminate

EGGER classic laminate.

Due to the compact laminate's specific characteristics, there may be a

difference in the decor colour between the compact laminate and the





To achieve a perfect finish, each decor in melamine-faced boards is also available in ABS edging, in the same decor and texture.

ABS edging

ABS (Acrylonitrile-Butadiene-Styrene) is a chlorine-free thermoplastic edge that has a positive ecological balance. They are made by extrusion or, for the finest thicknesses, using the calendaring process. They are available in a variety of widths and thicknesses specifically manufactured to achieve the best match with coordinated products.

Areas of application:

ABS edging is particularly resistant to impact, abrasion and heat. It ensures a greater longevity for the edges of boards.

End Grain Edging

The end grain edging has the look and feel of sawn timber, complete with its annual rings, for a highly authentic result. They are available in several decors chosen for their highly natural wood effect, and perfectly complement the «Feelwood» textures.



To find out about the availability of each decor in end grain edging, go to the «Q» references in the «Decor availability» tab.

Width	Thickness	Roll length	Notes
23 mm	0.4 mm	200 m	
23 mm	0.8 mm	75 m	
23 mm	1.0 mm	75 m	for PerfectSense decors
23 mm	2.0 mm	75 m	All decors are available in ABS 23 × 2 mm
28 mm	2.0 mm	75 m	
43 mm	0.8 mm	25 m	A thickness of 0.8 mm is ideal to highlight the authentic character of composite boards with end grain edging.
43 mm	1.5 mm	25 m	An ideal format for finishing straight edges on worktops (→ page 36)
43 mm	2.0 mm	25 m	An ideal format for finishing straight edges on worktops (→ page 36) or for finishing Eurolight lightweight boards 38 mm (→ page 29)
54 mm	2.0 mm	25 m	For finishing Eurolight Lightweight Boards 50 mm (→ page 29)

The quality of EGGER edging is characterised by:

- the smooth, harmonious finish on the edges thanks to edges that are coloured throughout the whole thickness,
- its extra durability through the application of a protective lacquer on all decors, including on uni colours,
- its bonding performance thanks to a lightly coloured primer on the back of the edge to ensure a regular application along the length of the roll. The colour disappears during processing.

Additional details

- Due to their specific characteristics, no edging is available for laminates with a coloured core; for edge finishing, we recommend cutting strips to the desired width from a similar type of laminate sheet); for edge finishing, it is preferable to use uni-colour edges in the surface's dominant colour or a neutral colour.
- Synchronised pore technology (ST28, ST29, ST33, ST37 and ST38) doesn't currently exist for the edges, but specific wood pore solutions have been developed.

PMMA edging PG/PM

PMMA edges, which match the EGGER PerfectSense decors, have a unique depth effect and allow you to produce high-quality furniture. All PerfectSense Gloss and Matt decors are available as PMMA edging in 23×1.3 mm.



New: Cut to width Service

For all boards which are stocked locally, we also stock matching edging. As an additional service, also widths which are not standard can be ordered. Those special widths will be cut centrally from mini jumbo rolls. You can define how the nominal width of 100 mm will be cut down in individual widths from 12 to 100 mm. This service is available for the thicknesses 0.8 mm, 1.0 mm (PerfectSense) and 2.0 mm.



For more details go to www.egger.com/edging

Accent edging

The accent edging in the EGGER Decorative Collection show how the edge detail can take centre stage, for little effort or cost.

Three Layer





Contrast





Multiplex/Linea





Doppia





F8982 AC Doppia Black-Gold PMMA



∴ Available formats see page 24

A ready-to-use solution for kitchens, bathrooms, offices, workbenches and counters*:




Modell 300/3

Postformed model

Consists of a chipboard core covered in a laminate, with a rounded profile on either one or both long edges. The distinctive feature of postformed tops is the seamless finish of the top surface being formed around the edge profile, so that no line is seen.

Modell 300/3



Models	Formats
300/3 profiled one side	4100 × 600 × 38 mm – on stock 4100 × 1200 × 38 mm – with delivery time
300/3 profiled both sides	4100 × 920 × 38 mm – on stock

Product advantages



Easy to maintain

Protected

against humidity



Hygienic



Surface wear resistant



Durable and

impact resistant

Edging provided to finish any exposed edges

* For normal usage. For bar counters or other very high-usage applications please check for suitability




Modell 100/1.5

Square edge model

Consists of a chipboard core covered in a laminate, with a square edge profile. The profile is edged in ABS edging 1.5 mm thick. This thickness provides the ideal mix of edge protection, whilst fitting to the latest sleek trend.

Modell 100/1.5




** Not for ST28 and ST37 Feelwood decors

	Models	Formats
	100/1.5 single sided edged	4100 × 600 × 38 mm – on stock 4100 × 1200 × 38 mm – with delivery time
	100/1.5 both sided edged	4100 × 920 × 38 mm – on stock

Technical details

- Delivered in individual packaging with an additional edge strip included.
- ABS edging 43×1.5 mm, depending on the decors, is also available in 25 m rolls (\rightarrow see delivery tab page 6-23).
- To ensure consistency, many of the decors can also be coordinated with melamine-faced boards, edges and laminates.
- End grain edging, replicating the look and feel of sawn timber, is also available see information and details on the previous page, Q references).

Accessories



Worktop wall profiles:

4100 x 25 x 25 mm in decor and texture combinations or the colours stainless steel and aluminium with matching inside/outside corners and cover caps



Laminate splashback panels (Mod. 90):

4100 × 1310 × 8 mm Laminate applied to both sides. For multiple usage the reverse side decor is different → for details please ask your EGGER partner



Worktop connection profile:

600 × 38 × 15 mm; in silver



Transition profile:

600 × 38 × 10 mm; in silver



Laminate:

from 2000 mm length × 1310 × 0.6 mm (on a roll)



Edging:

ABS Edge 43 × 1.5 mm (including End-grain Edges) Accent Edge 43 × 1.3 mm (13 selected designs)

Flammex — Flame Retardant Products



Many projects, such as schools, hospitals, hotels and other public spaces have strict fire safety requirements.


EGGER Flammex Flame Retardant Products are classified Euroclass B according to EN 13501-1, and comply with common standards of fire protection.

Safety by design

The fire retardant qualities take nothing away from the design possibilities for your projects as Flammex products can be coordinated with almost the full decor offer of our collection

Design freedom is never compromised by function. Therefore we offer Eurodekor Flammex (chipboard core), Eurodekor MDF Flammex and Laminate Flammex in over 200 designs.

Moreover Compact Laminate Flammex with a black core is available in over 180 decors.





For the manufacturing of additional items in the same decor as the worktop, make use of our service to cut 0.6 mm laminate sheets to your specification, from lengths upwards of 2000 mm.


Find out more on www.egger.com/flammex

hite Premium White Selection




Neutrals







Cool Greys




Textured Neutrals



Natural Greens



Premium White




W1000 ST38



Textile, Leather




Vivid Reds




38



Clear and Strong Beiges




Midnight Purples



PerfectSense Granite concrete Used Ceramics









U104 PG/ST2

W1100 PG/ST2

U999 PM/ST2





U763

U104

H3025

U732

W1100

Macassar

Dust Grey

Alpine White **U961**

Graphite Grey

Pearl Grey

Alabaster White



F649 ST16

F638 ST16

Ceramics

Concrete



F641 ST16

F187 ST9

F275 ST9

F651 ST16

F186 ST9

Light Concrete F275 Dark Concrete F283 Boston Concrete F649

F651

F638

F186

F187 Dark Grey

F236

Grey Terrazzo F238

Black Terrazzo

Light Grey

Chromix Silver

Chicago Concrete

Chicago Concrete




Marble, Slate

F093 ST15

F302 ST87

F672 ST16






Torano Marble

F256 Colourful Slate

Desert Oranges



PerfectSense Matt

U763 PG/ST2

U732 PG/ST2





U727 PM/ST2

H3025 PG/ST2

U961 PG/ST2



Crema Beige

Stone Grey

Graphite Grey

Premium White

Alpine White

U999

Black

U727

U961

W1000

W1100





F221 ST87

F029 ST89



F041 White Sonora Stone F222 Terra Tessina Ceramic F310 Ceramic Rust F311 Ceramic Anthracite F221 Cream Tessina Ceramic



F633 ST87





F302

Ferro Bronze

Infinity Blues



Colour Core

U961 PM/ST2

U222 PM/ST2



W1000 PM/ST2 W1100 PM/ST2

Granite



F148 ST82

Metallics

F549 ST9



F028 ST89

Handcrafted Eichen Oak Premium

actuales

Exotic Woods


Premium Oak





H1180 ST37





H1181 ST37

H3331 ST10

White Gladstone Oak H3309 Sand Gladstone Oak H3326 Grey-Beige Gladstone Oak **H3326** ST28





H1379 ST36

Coloured Pinewood


Modern Oak



H3131 ST12



H1399 ST10



Natural


Natural Hamilton Oak

Natural Davos Oak

Pinewood


H3131

H3133






H1213 ST33



Natural Beech H1582 Ellmau Beech H1511 Bavarian Beech White Cape Elm Dark Brown Cape Elm Natural Country Beech Brown Tossini Elm H1213 Natural Tossini Elm Grey-Beige Tossini Elm





H1122

H1123

Whitewood

Lava Grev Fleetwood

Horizontal

Sand Zebrano

Mali Wenge

H3058

H3012

Coco Bolo



H1176 ST37




H1150 ST10









Natural Bardolino Oak H1150 Grey Arizona Oak Nebraska Eiche natur H1146 Grey Bardolino Oak

Brown Arizona Oak

Grey Nebraska Oak

Grey Corbridge Oak

Dark Brown Charleston Oak

Tobacco Charleston Oak

Light Lakeland Acacia

Black-Brown Thermo Oak

Brown Kansas Oak

H1145

H1151

H3332

H3156

H3155

H1113

H1199











H3450

H1401

H1298

White Fleetwood


Cascina Pine

Sand Lyon Ash










Nature in Colour



H1107 ST9

Timeless Oak



H1334 ST9

H3368 ST9

H1113 ST10



H1137 ST12

H1199 ST12 H1334 Light Sorano Oak H3395 Natural Corbridge Oak H3398 Cognac Kendal Oak **H3398** ST12 H3368 Natural Lancaster Oak H1137 Black-Brown Sorano Oak H3157

H3157 ST12


Vicenza Oak



H1486 ST36

H3404 ST38

Natural Pinewood




H3470 ST22



H3420 ST36

H1400 ST36



H3420

H3404

H3470

H1400

Natural Pine

Attic Wood

Thermo Pine

Brown Mountain Larch




H1636 ST12

H3114 ST9

H3704 ST15

H1212 ST33



H3113 ST15





H1734 ST9

H1163 ST86

www.egger.com

FRITZ EGGER GmbH & Co. OG

Holzwerk stoffe

Weiberndorf 20

6380 St. Johann in Tirol

Austria

T +43 50 600-10159

F +43 50 600-90159

SC EGGER România SRL

Str. Austriei 2

PO Box 38

725400 Rădăuți, jud. Suceava

Romania

T +40 372 4-38204

F +43 50 600-90159

FRITZ EGGER GmbH & Co. OG

Holzwerkstoffe

Tiroler Straße 16 3105 Unterradlberg

Austria

T +43 50 600-12217

F +43 50 600-92217